WEST Search History

Hide Items Restore Clear Cancel

DATE: Friday, May 19, 2006

Hide?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count
	DB=Pc	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
	L10	13 and mesh same (merg\$3 or insert\$3) and updat\$3 and adjust\$5 and edge and boundary and length and distance	0
	L9	L8 and average same value and mesh same merg\$3	2
	L8	mesh same (merg\$3 or insert\$3) and length and edge and boundary and adjust\$3 same size and polygon\$1	55
	L7	mesh same (merg\$3 or insert\$3) and length same edge same portion and boundary and adjust43 same size and polygon\$1	0
	L6	345/648.ccls.	78
	L5	345/630.ccls.	190
	L4	345/421.ccls.	467
	L3	345/629.ccls.	1126
	L2	345/423.ccls.	466
	L1	345/419.ccls.	2405

END OF SEARCH HISTORY



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library C The Guide

mesh merging and density and edge and boundary and distance

SEARCH



Feedback Report a problem Satisfactic

Terms used

mesh merging and density and edge and boundary and distance and length and adjust same ratio and avera

Sort results by relevance Display results expanded form

Save results to a Binder 3 Search Tips

Try an Advanced Search Try this search in The ACM •

Open results in a new window

Results 1 - 20 of 200 Best 200 shown

Result page: **1** 2 3 4 5 6 7 8 9 10 next

Relevand

GPGPU: general purpose computation on graphics hardware

David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aa August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(63.03 MB)

Additional Information: full citation, abstract

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely and flexible processor. The latest graphics architectures provide tremendous memory bandwidtl computational horsepower, with fully programmable vertex and pixel processing units that supp operations up to full IEEE floating point precision. High level languages have emerged for graph hardware, making this computational power accessible. Architecturally, GPUs are highly parallel

2 Level set and PDE methods for computer graphics



David Breen, Ron Fedkiw, Ken Museth, Stanley Osher, Guillermo Sapiro, Ross Whitaker August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(17.07 MB)

Additional Information: full citation, abstract

Level set methods, an important class of partial differential equation (PDE) methods, define dyr surfaces implicitly as the level set (iso-surface) of a sampled, evolving nD function. The course preparatory material that introduces the concept of using partial differential equations to solve I computer graphics, geometric modeling and computer vision. This will include the structure and several different types of differential equations, e.g. the level set eq ...

3 The elements of nature: interactive and realistic techniques

Oliver Deusen, David S. Ebert, Ron Fedkiw, F. Kenton Musgrave, Przemyslaw Prusinkiewicz, Doug I Stam, Jerry Tessendorf

August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(17.65 MB)

Additional Information: full citation, abstract

This updated course on simulating natural phenomena will cover the latest research and produc techniques for simulating most of the elements of nature. The presenters will provide movie pro interactive simulation, and research perspectives on the difficult task of photorealistic modeling. and animation of natural phenomena. The course offers a nice balance of the latest interactive of hardware-based simulation techniques and the latest physics-based simulation techni ...

4 Collision detection and proximity queries

Sunil Hadap, Dave Eberle, Pascal Volino, Ming C. Lin, Stephane Redon, Christer Ericson
August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(11.22 MB)

Additional Information: full citation, abstract

This course will primarily cover widely accepted and proved methodologies in collision detection more advanced or recent topics such as continuous collision detection, ADFs, and using graphic will be introduced. When appropriate the methods discussed will be tied to familiar applications rigid body and cloth simulation, and will be compared. The course is a good overview for those applications in physically based modeling, VR, haptics, and robotics.

5 Real-time shading

Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(7.39 MB)

Additional Information: full citation, abstract

Real-time procedural shading was once seen as a distant dream. When the first version of this conferred four years ago, real-time shading was possible, but only with one-of-a-kind hardware or combining the effects of tens to hundreds of rendering passes. Today, almost every new compu with graphics hardware capable of interactively executing shaders of thousands to tens of thous instructions. This course has been redesigned to address today's real-time shading capabili ...

6 Shape-based retrieval and analysis of 3D models

Thomas Funkhouser, Michael Kazhdan

August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(12.56 MB)

Additional Information: full citation, abstract

Large repositories of 3D data are rapidly becoming available in several fields, including mechani molecular biology, and computer graphics. As the number of 3D models grows, there is an increfor computer algorithms to help people find the interesting ones and discover relationships betw Unfortunately, traditional text-based search techniques are not always effective for 3D models, when queries are geometric in nature (e.g., find me objects that fit into thi ...

7 Facial modeling and animation

Jörg Haber, Demetri Terzopoulos

August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(18.15 MB)

Additional Information: full citation, abstract

In this course we present an overview of the concepts and current techniques in facial modeling animation. We introduce this research area by its history and applications. As a necessary prere facial modeling, data acquisition is discussed in detail. We describe basic concepts of facial anim present different approaches including parametric models, performance-, physics-, and learning methods. State-of-the-art techniques such as muscle-based facial animation, mass-s ...

8 High dynamic range imaging

Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik
August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(20.22 MB)

Additional Information: full citation, abstract

Current display devices can display only a limited range of contrast and colors, which is one of t reasons that most image acquisition, processing, and display techniques use no more than eigh

color channel. This course outlines recent advances in high-dynamic-range imaging, from captu display, that remove this restriction, thereby enabling images to represent the color gamut and range of the original scene rather than the limited subspace imposed by current monitor ...

9 Point-based computer graphics

Marc Alexa, Markus Gross, Mark Pauly, Hanspeter Pfister, Marc Stamminger, Matthias Zwicker August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(8.94 MB)

Additional Information: full citation, abstract, citings

This course introduces points as a powerful and versatile graphics primitive. Speakers present t concepts for the acquisition, representation, modeling, processing, and rendering of point samp geometry along with applications and research directions. We describe algorithms and discuss c problems and limitations, covering important aspects of point based graphics.

10 A survey of methods for recovering quadrics in triangle meshes

Sylvain Petitjean

June 2002 ACM Computing Surveys (CSUR), Volume 34 Issue 2

Publisher: ACM Press

Full text available: pdf(3.91 MB)

Additional Information: full citation, abstract, references, citings, index ter

In a variety of practical situations such as reverse engineering of boundary representation from of scanned objects, range data analysis, model-based recognition and algebraic surface design, need to recover the shape of visible surfaces of a dense 3D point set. In particular, it is desirabl and fit simple surfaces of known type wherever these are in reasonable agreement with the dat interested in the class of quadric surfaces, that is, algebraic surfa ...

Keywords: Data fitting, geometry enhancement, local geometry estimation, mesh fairing, shar

11 Projectors: advanced graphics and vision techniques

Ram

Ramesh Raskar

August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Additional Information: full citation

12 Real-time volume graphics

③

Klaus Engel, Markus Hadwiger, Joe M. Kniss, Aaron E. Lefohn, Christof Rezk Salama, Daniel Weiske August 2004 Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04

Publisher: ACM Press

Full text available: pdf(7.63 MB)

Additional Information: full citation, abstract

The tremendous evolution of programmable graphics hardware has made high-quality real-time graphics a reality. In addition to the traditional application of rendering volume data in scientific visualization, the interest in applying these techniques for real-time rendering of atmospheric pl and participating media such as fire, smoke, and clouds is growing rapidly. This course covers b applications in scientific visualization, e.g., medical volume data, and real-time rendering, ...

13 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available:

Additional Information:

pdf(4.21 MB)

full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on prodiagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. Howe diagrams are often very complex and do not provide the user with the desired overview of the an In our experience, such tools display repeated occurrences of non-trivial commun ...

14 Status report of the graphic standards planning committee

Computer Graphics staff

August 1979 ACM SIGGRAPH Computer Graphics, Volume 13 Issue 3

Publisher: ACM Press

Full text available: pdf(15.01 MB)

Additional Information: full citation, references, citings

15 Three-dimensional object recognition

Paul J. Besl, Ramesh C. Jain

March 1985 ACM Computing Surveys (CSUR), Volume 17 Issue 1

Publisher: ACM Press

Full text available: pdf(7.76 MB)

Additional Information: full citation, abstract, references, citings, index ter

A general-purpose computer vision system must be capable of recognizing three-dimensional (3 This paper proposes a precise definition of the 3-D object recognition problem, discusses basic associated with this problem, and reviews the relevant literature. Because range images (or depart of of the used as sensor input instead of intensity images, techniques for obtaining, processing characterizing range data are also surveyed.

16 Texture mapping progressive meshes

Pedro V. Sander, John Snyder, Steven J. Gortler, Hugues Hoppe

August 2001 Proceedings of the 28th annual conference on Computer graphics and interac techniques

Publisher: ACM Press

Full text available: pdf(5.18 MB)

Additional Information: full citation, abstract, references, citings, index ter

Given an arbitrary mesh, we present a method to construct a progressive mesh (PM) such that in the PM sequence share a common texture parametrization. Our method considers two import simultaneously. It minimizes texture stretch (small texture distances mapped onto large surface to balance sampling rates over all locations and directions on the surface. It also minimizes text deviation ("slippage" error based on parametric correspondence) to obtain ...

Keywords: mesh simplification, surface flattening, surface parametrization, texture stretch

17 Papers: The lookahead strategy for distance-based location tracking in wireless cellular ne

I-Fei Tsai, Rong-Hong Jan

October 1999 ACM SIGMOBILE Mobile Computing and Communications Review, Volume 3 Issue

Publisher: ACM Press

Full text available: pdf(1.27 MB)

Additional Information: full citation, abstract, references, citings

Based on a multi-scale, straight-oriented mobility model, this paper presents a lookahead strate distance-based location tracking so the rate of location update can be reduced without incurring terminal paging costs. For linear mobility graphs, the optimal registered cell is found by an itera algorithm so the average cycle length is maximized. For planar mobility graphs, the authors em results from linear cases to determine the eligible registered cell. Performance gain i ...

Technical reports
SIGACT News Staff

January 1980 ACM SIGACT News, Volume 12 Issue 1

Publisher: ACM Press

Full text available: pdf(5.28 MB)

Additional Information: full citation

19 Meshes II: Variational tetrahedral meshing

Pierre Alliez, David Cohen-Steiner, Mariette Yvinec, Mathieu Desbrun
July 2005 ACM Transactions on Graphics (TOG), Volume 24 Issue 3

Publisher: ACM Press

Additional Information: full citation, abstract, references, index terms

In this paper, a novel Delaunay-based variational approach to isotropic tetrahedral meshing is $\mathfrak p$. To achieve both robustness and efficiency, we minimize a simple mesh-dependent energy throu updates of both vertex positions *and* connectivity. As this energy is known to be the $\mathfrak L^1$ distance isotropic quadratic function and its linear interpolation on the mesh, our minimization procedure well-shaped tetrahedra. Mesh design is controlled throu ...

Keywords: delaunay mesh, isotropic meshing, sizing field, slivers

20 Progressive meshes

Hugues Hoppe

August 1996 Proceedings of the 23rd annual conference on Computer graphics and interac techniques

Publisher: ACM Press

Full text available: pdf(431.00 KB)

Additional Information: full citation, references, citings, index terms

Keywords: geometry compression, level of detail, mesh simplification, progressive transmissio interpolation

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

EDSSearch Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- · Run a search

Fri, 19 May 2006, 9:48:33 AM EST

Search Query Display



#1 ((merging mesh and edge and boundary and density and adjustment ratio and average value)<in>metadata)

((merging mesh<in>metadata) <and> (edge #2 boundary<in>metadata))<and> (adjustment ratio<in>metadata)

#3 ((mesh merging<in>metadata) <and> (adjusting size<in>metadata))<and> (edge boundary<in>metadata)

Indexed by Inspec*

Help Contact Us Privacy & :

© Copyright 2006 IEEE -